

JC07 Rec'd PCT/PTO 05 FEB 2002

FORM PTO-1390 (REV 10-95)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371			27986-713
			U.S. APPLICATION NO. (If known, see 37 CFR 1.5) 60/147,949 10/049760
INTERNATIONAL APPLICATION NO. PCT/IL00/00465	INTERNATIONAL FILING DATE 3 August 2000	PRIORITY DATE CLAIMED 6 August 1999	
TITLE OF INVENTION MULTI-PURPOSE KEYBOARD			
APPLICANT(S) FOR DO/EO/US Omni-Board, Inc			
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:			
<ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 3. <input checked="" type="checkbox"/> This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 37(b) and PCT Articles 22 and 39(1). 4. <input checked="" type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. 5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2)) <ol style="list-style-type: none"> a. <input checked="" type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> has been transmitted by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US). 6. <input type="checkbox"/> A translation of the International Application into English (35 U.S.C. 371(c)(2)). 7. <input checked="" type="checkbox"/> Amendments to claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) <ol style="list-style-type: none"> a. <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> have been transmitted by the International Bureau. c. <input checked="" type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. c. <input type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). 9. <input type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. <input type="checkbox"/> A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). 			
Items 11. To 16. below concern document(s) or information included:			
<ol style="list-style-type: none"> 11. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 13. <input type="checkbox"/> A FIRST preliminary amendment. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment. 14. <input type="checkbox"/> A substitute specification. 15. <input type="checkbox"/> A change of power of attorney and/or address letter. 16. <input type="checkbox"/> Other items or information: Copy of International Preliminary Examination Report and International Search Report. 			

JC13 Rec'd PCT/PTO 05 FEB 2002

U.S. APPLICATION NO (if known, see 37 CFR 1.5) 60/147,949 10/049760		INTERNATIONAL APPLICATION NO. PCT/IL00/00465		ATTORNEY'S DOCKET NUMBER 27986-713	
17. <input checked="" type="checkbox"/> The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492(a)(1)-(5)): Search Report has been prepared by the EPO or JPO \$840.00 International preliminary examination fee paid to USPTO (37 CFR 1.482) \$670.00 No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37 CFR 1.445(a)(2)) \$690.00 Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2) paid to USPTO \$970.00 International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4) \$96.00 ENTER APPROPRIATE BASIC FEE AMOUNT =				CALCULATIONS PTO USE ONLY	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$	
CLAIMS	NUMBER	NUMBER EXTRA	RATE		
Total claims	11 - 20 =	0	0 X \$18.00	\$	0
Independent claims	3 - 3 =	0	0 X \$78.00	\$	0
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			\$260.00	\$	0
TOTAL OF ABOVE CALCULATIONS =				\$	0
Reduction of 1/2 for filing by small entity, if applicable. Verified Small Entity Statement must also be filed (Note 37 CFR 1.9, 1.27, 1.28).				\$	355.00
SUBTOTAL =				\$	355.00
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$	0
TOTAL NATIONAL FEE =				\$	355.00
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +				\$	0
TOTAL FEES ENCLOSED =				\$	355.00
				Amount to be:	
				refunded	\$
				charged	\$ 355.00
<p>a. <input type="checkbox"/> A check in the amount of \$_____ to cover the above fees is enclosed.</p> <p>b. <input checked="" type="checkbox"/> Please charge my Deposit Account No. 23-2415 in the amount of \$ <u>355.00</u> to cover the above fees. A duplicate copy of this sheet is enclosed.</p> <p>c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required or credit any overpayment to Deposit Account No. 23-2415. A duplicate of this sheet is enclosed.</p> <p>NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b) must be filed and granted to restore the application to pending status.</p> <div style="display: flex; justify-content: space-between; margin-top: 20px;"><div style="width: 45%;">SEND ALL CORRESPONDENCE TO: Wilson Sonsini Goodrich & Rosati 650 Page Mill Road Palo Alto, California 94304-1050 (650) 493-9300</div><div style="width: 45%; text-align: center;"><div style="font-family: cursive; font-size: 1.2em; margin-bottom: 5px;">David J. Weitz</div><div>_____ SIGNATURE</div><div style="margin-top: 10px;">David J. Weitz _____ NAME</div><div style="margin-top: 10px;">38,362 _____ REGISTRATION NUMBER</div></div></div>					

6/pst/

- 1 -

AL0045750 10/049760

JC13 Rec'd PCT/PTO 05 FEB 2002

PCT/IL00/00465

MULTI-PURPOSE KEYBOARD

Field of the Invention

The present invention relates to the field of input devices. More particularly, the invention relates to a method and apparatus for providing functional input for computerized systems.

Background of the Invention

In most computers, a keyboard is the primary main input and control device typically used to input text. The keyboard also contains specific standard function keys, such as the Escape key, the Tab and cursor movement keys, the Shift and Control keys, and sometimes other manufacturer-customized keys.

The computer keyboard uses the same basic arrangement as the mechanical and electronic typewriter keyboards that preceded the computer. The standard arrangement of alphabet keys is known as the Qwerty keyboard, its name deriving from the arrangement of the five keys at the upper left of the three rows of alphabet keys. This arrangement, invented for one of the earliest mechanical typewriters, dates back to the 1870s.

- 2 -

Because many keyboard users develop a cumulative trauma disorder, such as *carpal tunnel syndrome*, a number of ergonomic keyboards have been developed. Current techniques include keyboards contoured to alleviate stress and foot-driven pedals for certain keys or keyboard functions.

Nowadays, the personal computer has a wide variety of applications and games. Personal computers are operated by users of all ages with diverse needs and languages. Even so, the number of keyboard types used is relatively small in comparison to the number of implementations utilized. The main factors governing this phenomenon are financial and pragmatic considerations.

The manufacturing process of keyboards is a relatively expensive process. Therefore, keyboards are fabricated in mass-produced series, in order to make them affordable to the common PC user. However, sometimes computer games are not mass-produced, and their manufacturers cannot attach a dedicated keyboard to each game or application sold. In any event, if one looks at this issue from the user's point of view, it is not convenient to switch to a different keyboard for each game or application, especially when the plug resides in the rear side of the computer. Furthermore, when using several keyboards, the problem of storing these keyboards arises.

Due to different key layouts in different countries, it is necessary to implement a look-up table technique in order to use the same basic keyboard for a plurality of countries. Moreover, some computer programs allow the performance of specific operations by using a predefined sequence of keys, especially when the number of operations is greater than the number of keys, such as, "Ctrl-D, Alt-A, Ctrl-Shift-F". Other computer programs use a sequence of keystrokes, usually called a "macro", as input. Macros can be stored on the computer's memory, or embedded in the keyboard hardware (usually memory means), which gives the keyboard the status of "smart-keyboard".

Due to recent developments of a combination between TV and the Internet, a new type of keyboard design is flourishing nowadays. However, browsing the Internet with a regular TV remote control system is very difficult, due to the fact that the number of keys in TV remote control systems is insufficient compared to those required while browsing the Internet. For browsing the Internet, the keyboard must comprise the literal keys, especially when composing e-mail.

US Patent 5,514,855 deals with the above-mentioned issues. A molded rigid panel, which is provided with a plurality of over-sized keys, "diminishes" the number of keys. It is useful for computer games and applications directed to very young children.

- 4 -

US Patent 5,667,319 deals with a non-conventional keyboard, actually a simplified keyboard for use by a child. Typically, the simplified keyboard of this patent has keys which are optimized in design, number and placement for use by young children, but which electrically interfaces the computer in a manner similar to standard keyboards for manual entry of symbolic data for use by the computer software.

All the methods described above have not yet provided satisfactory solutions to the problem of using a keyboard designed for a special application at a low cost. Moreover, all the methods described above have not yet provided satisfactory solutions to the problem of associating a keyboard with a computer program for executing an application that requires a special keyboard.

It is an object of the present invention to provide a dedicated keyboard apparatus whose manufacturing cost will be lower than that known in the prior art.

It is another object of the invention to provide a method and apparatus for replacing a keyboard on a host machine, which is simpler than those of the prior art.

- 5 -

It is a further object of the invention to provide a method and apparatus which associates between a keyboard and a computer's application, for executing and simplifying that application.

It is a further object of the invention to provide a method and apparatus which associates between a keyboard and a computer's setup, for setting up the computer.

Other objects and advantages of the invention will become apparent as the description proceeds.

Summary of the Invention

In one aspect, the present invention is directed to a keyboard for use as an input device for a host computer, the computer being able to execute one or more software applications, comprising:

- a removable part comprising a set of specific of keys each of which having a contact and held by a foundation, the removable part being associated with a specific software application to be executed on the host computer using the set, the removable part comprising a device for data-connection and a data storage device containing an Identification Data (ID) associated with the specific application;

- 6 -

- a fixed part, into which the removable part is installed, the fixed comprising:
 - I) a set of contacts, each of which corresponding to zero or more contacts of the removable part, for receiving input data;
 - II) a reader device for reading the ID from the data storage device;
 - III) a first data-connection means from the reader to the data connection device; and
 - IV) a second data connection means to the host computer, for transferring the ID from the reader, and data input from the set, to the host computer, so as to allow the host computer to execute the specific software application upon placing the removable part into the fixed part.

Optionally, the reader, the first data connection means and the storage device are replaced by a mechanical member extending out of the removable part, for applying a mechanical force on a predetermined contact in the fixed part whenever the removable part is placed into the fixed part, the mechanical force causing ID data related to a specific set to be transmitted to the host computer via the second data connection means, after a predetermined period has been lapsed.

- 7 -

Optionally, the removable part is a single rigid unit or a plurality of rigid units that can be folded.

Optionally, the ID is embedded into the identification mechanism by electronic means and/or by electro-optic means and/or by electro-mechanical means and/or magnetic means.

Optionally, the keys layout is compatible with a standard 101-keys keyboard.

In another aspect, the invention is directed to a system for use as an input mechanism for a host computer, comprising:

- A keyboard for use as an input device for a host computer, the computer being able to execute one or more software applications, comprising:
 - a removable part comprising a set of specific of keys each of which having a contact and held by a foundation, the removable part being associated with a specific software application to be executed on the host computer using the set, the removable part comprising a device for data-connection and a data storage device containing an Identification Data (ID) associated with the specific application;

- 8 -

- a fixed part, into which the removable part is installed, the fixed comprising:

- I) a set of contacts, each of which corresponding to zero or more contacts of the removable part, for receiving input data;
- II) a reader device for reading the ID from the data storage device;
- III) a first data-connection means from the reader to the data connection device; and
- IV) a second data connection means to the host computer, for transferring the ID from the reader, and data input from the set, to the host computer, so as to allow the host computer to execute the specific software application upon placing the removable part into the fixed part.

- a software component for reading the ID and executing one or more program(s) and/or one or more application(s) and/or one or more predefined operation(s), the software component residing on the host computer and executed by the host computer, the program(s), the application(s) and the operation(s) being associated with the ID.

Optionally, the predefined operations are directed to setup the host.

- 9 -

In another aspect, the invention is directed to a method for connecting a keyboard to a host computer, comprising:

a) Providing a keyboard for use as an input device for a host computer, the computer being able to execute one or more software applications, comprising:

- a removable part comprising a set of specific of keys each of which having a contact and held by a foundation, the removable part being associated with a specific software application to be executed on the host computer using the set, the removable part comprising a device for data-connection and a data storage device containing an Identification Data (ID) associated with the specific application;
- a fixed part, into which the removable part is installed, the fixed comprising:
 - I) a set of contacts, each of which corresponding to zero or more contacts of the removable part, for receiving input data;
 - II) a reader device for reading the ID from the data storage device;
 - III) a first data-connection means from the reader to the data connection device; and

- 10 -

- IV) a second data connection means to the host computer, for transferring the ID from the reader, and data input from the set, to the host computer, so as to allow the host computer to execute the specific software application upon placing the removable part into the fixed part.
- b) Providing a software component for reading the ID and executing one or more program(s) and/or one or more application(s) and/or one or more predefined operation(s), the software component residing on the host computer and executed by the host computer, the program(s), the application(s) and the operation(s) associated with the ID.
- c) Connecting between the removable part and the fixed part by contact upon placing the removable part on the fixed part;
- d) Reading the ID by the reader device;
- e) Conveying the ID from the keyboard to the host computer via the connection;
- f) Executing one or more program(s) and/or one or more application(s) and/or one or more predefined operation(s), the program(s), the application(s) and the operation(s) being associated with the ID.

Brief Description of the Drawings

The above and other characteristics and advantages of the invention will be better understood through the following illustrative and non-limitative detailed description of preferred embodiments thereof, with reference to the appended drawings, wherein:

- Fig. 1 illustrates a "101-keys" keyboard, according to the prior art;
- Fig. 2 illustrates a keyboard, according to a preferred embodiment of the invention;
- Fig. 3 illustrates a dedicated keyboard layout, according to a preferred embodiment of the invention;
- Fig. 4 illustrates a keyboard for applications directed to young users, according to a preferred embodiment of the invention;
- Fig. 5 schematically illustrates a keyboard, according to a preferred embodiment of the invention; and
- Fig. 6 schematically illustrates the folding of a removable part of the keyboard into three parts, according to a preferred embodiment of the invention.

Detailed Description of Preferred Embodiments

Fig. 1 illustrates a "101 keys" keyboard, according to the prior art. Nowadays, the "101 keys" keyboard is the most commonly used keyboard. The keys 40 are installed in an immersed area 50. Such a keyboard is suitable for being use as an input device in text-related applications, such as word processors. However, when it comes to stick-games, this kind of keyboard is less efficient. Stick-games are better operated with a joystick, and the keyboard layout should be designed in such a way that the user will feel as if actually inside a cockpit. Moreover, the texture of the keys does not suit the purpose of the game at all.

In order to manufacture dedicated keyboards with fewer expenses, according to the disclosed invention, a keyboard may be separated into two parts:

- One part comprises the elements of the keyboard, which are useful for a variety of keyboards type, hereinafter called "the **replaceable** part of the keyboard";
- The other part comprises elements that are typical of a dedicated keyboard, hereinafter called "the **fixed** part of the keyboard".

By setting the replaceable part of the keyboard on the fixed part of the keyboard, clicking a key causes the same effect as in a keyboard known from the prior art.

- 13 -

As a result, the key contacts the electronic circuit. Due to this contact, a number that is associated with the key is submitted to the host computer.

According to the disclosed invention, the following benefits are achieved:

- The keyboard may be designed according to its dedicated purpose, not merely applicable for a variety of purposes. This way the design fits its purpose in a better way than presently known in prior art.
- Since for many implementations, the presence of all 101 keys (as in the most commonly used keyboard) is not required, the keyboard may be designed such a way that the keys are gathered in small region. This way the keyboard becomes compact, and hence such a keyboard may be sold with a computer game or application. Furthermore, when using the same size of keyboard with fewer keys, the keys may be bigger, and hence easy to operate.
- Due to the fact that a dedicated keyboard is associated with a certain implementation(s), by detecting the type of the keyboard, the host computer may execute a program that is associated with the keyboard, or to allow the user to select one of the implementations associated

- 14 -

with this keyboard. For example, a dedicated keyboard may be suitable for a variety of football games.

Fig. 2a and Fig. 2b illustrate a keyboard, according to a preferred embodiment of the invention. The keyboard is composed of two parts: The fixed part 10 and the replaceable part 20. Fig. 2a illustrates the combined keyboard, according to a preferred embodiment of the invention. Fig. 2b illustrates the separate parts of a keyboard, according to a preferred embodiment of the invention.

The base 10 of the keyboard is fixed, while the removable part 20 of the keyboard may be replaced by another replaceable element. The keys 40 are installed in the removable part 20 of the keyboard. According to a preferred embodiment of the invention, the handles 60 are attached to the removable part 20 of the keyboard. Hence, the removable part 20 may be removed by lifting the handles 60. Of course the removable part 20 may be removed in other ways also.

There are a variety of ways to fasten the removable part 20 of the keyboard to the fixed part 10 of the keyboard, such as a hooking mechanism, screwing mechanism, magnet mechanism, and sometimes even the weight of the removable part is adequate. There are also a variety of ways to establish contact between the removable and fixed parts of the keyboard. A combination of fastening mechanism and contact mechanism can also be used.

- 15 -

Fig. 3 illustrates a dedicated keyboard layout, according to a preferred embodiment of the invention. The keyboard is dedicated to operations related to the Internet. By pressing keys 31 to 36, the browser will be directed to the appropriate Web site. By clicking key 37, the browser will be directed to a Web page that contains links to search engines, such as Yahoo, Infoseek, etc. By clicking key 38, the current page will be printed.

Although the keyboard in Fig. 3 is designed like the commonly used 101-keys keyboard, the size of key 31 is that of the keys F1 and F2 in Fig.1 together. The same is true of keys 32 to 36.

Fig. 4 illustrates a keyboard for applications directed to young users, according to a preferred embodiment of the invention. The keys 40 are in different shapes, such as triangular, circular and heart-shaped. Due to the young age of the users of this keyboard, the number of keys is relatively small.

Moreover, the user may individually design the layout of the keyboard, according to his needs. The keys 40 may be removed, and replaced with other keys, which have different icons and text.

- 16 -

In the prior art, the user had to perform several operations in order to execute a program. For example, in Windows [™] based applications, the user has to go to the "Program files" section, and then select the program he wishes to use. The process may be simplified by "shortcuts"; however, not all users have the knowledge how to create a shortcut. Moreover, very young children cannot read, and therefore running an application without a desktop icon is impossible.

According to a preferred embodiment of the invention, the type of the keyboard is detectable. The removable part 20 of the keyboard comprises an IC (Integrated Circuit) 70 which provides an individual code, by which the type of the keyboard is identified, and the base 10 of the keyboard comprise a data recognition device 80, which is able to detect the code that is stored in IC (Integrated Circuit) 70.

Detecting the type of the keyboard simplifies the use of the host operation, since the host is directed to execute the application to which the keyboard has been dedicated, to set the special settings of the application, and to suspend the application whenever the removable part of the keyboard is taken out. A special setting can be defined by the user or predefined by the software, which suits the user's preferences, such as small or large icons, different levels of guidance, etc. Using large icons, the user is exposed to less data than when using small icons, therefore small icons are usually more suitable for advanced users, whereas large icons are better suited for beginners.

Whenever there are several programs using the same keyboard type, the software, which keeps track of the presence of the keyboard, may display a menu from which the user can select the appropriate program to be executed. For instance, the famous football game FIFA, has several versions, such as FIFA-98, FIFA-99, and so forth. Therefore, if different versions of the software are installed on the same host, the user should be given the option of selecting the version to be executed.

Usually, there is a software component running on the host device, which operates as a "watchdog" that reacts whenever the code of the keyboard is changed. Technically, there are a variety of ways to program the watchdog, such as hooking the keyboard interrupt, as is known to any programmer skilled in the art.

According to an embodiment of the invention, the detection of the unique ID of the keyboard is performed by a physical contact in a way similar to the insertion of electronic cards into the computer sockets.

According to another embodiment of the invention, detection of the unique ID of the keyboard is performed by electro-optical means. For example, a set of photoelectric cells resides on the fixed part of the keyboard. The removable part

- 18 -

of the keyboard contains a light source that lights up some of the photoelectric cells, while some of the cells remain unlighted. The lighted cells may be considered as "1" and the unlighted cells may be considered as "0". Therefore, a binary representation is comprised, which represents the ID of the keyboard.

According to another embodiment of the invention, detection of the unique number of the keyboard is performed by wireless transmission between the removable part 20 of the keyboard and the base 10 of the keyboard. For this purpose, it is possible to use a short-range transmitter. The transmitter resides on the removable part of the keyboard, while the receiver resides on the fixed part of the keyboard.

Alternatively, reading the information embedded in the removable part 20 of the keyboard is done by RF transmission, which provides the energy required for the operation of the memory device 70, in which the ID is embedded. This way, the memory device 70 is "passive".

According to another embodiment of the invention, the identification of the keyboard type is carried out by a permanent contact, which causes an effect of permanently pressing a single or a group of keys. In this case, the ID is the combination of the activated key(s). A watchdog software component that runs on the host computer keeps track of the combination of the pressed keys. Upon

- 19 -

changing of the combination, the watchdog checks for the permanency of the new combination for a predefined period. If the combination sustains this period, then the watchdog software component performs the operations associated with the identified type of keyboard.

For example, the projection turns on the "F" and the "T" characters. Whenever the watchdog software component detects that the "F" and "T" characters were pressed for a period of 3 seconds, it activates the operations associated with the FIFA game.

Fig. 5 schematically illustrates a keyboard, according to a preferred embodiment of the invention.

According to the prior art, the sensors 11 are located such a way that pressing a key 40 moves it down, where it then touches a sensor 11. As a result, the circuitry embedded in the keyboard translates the state of the sensors to digital values that represent the appropriate keys. These values are conveyed to the host.

According to a preferred embodiment of the present invention, the foundation of the keys is removable. Since there is no electrical connection between the keys 40 and the sensors 11, removal of the keys cannot cause any short circuit. Therefore,

- 20 -

the keys may be removed without causing any interference with the host's operation.

Fig. 6 schematically illustrates the folding of a removable part of the keyboard into three parts, according to a preferred embodiment of the invention. This attribute decreases the size needed for storing the removable part of the keyboard. Therefore, the removable part of the keyboard may be packed with the other parts of a computer game or application, such as CD and manual, in a compact pack, and be sold this way. Moreover, since the number of keys needed for various implementations is very small, it is possible to design the removable part 20 of the keyboard in such a way that all the keys will be concentrated in a small area; hence, its size will be compact.

The separation between the removable part and the base of the keyboard provides more features, which may be useful for developing new applications and implementations. For instance, some effort has been made to provide a secure access on purchase operations through the Internet, such as "smart cards" whereby the user inserts an appropriate reader into the computer. Since such a reader is not needed for any other application, its presence in personal computers is very rare. However, according to the invention, the removable part of the keyboard may be used with the appropriate circuitry as a "smart card" which

- 21 -

operates as an identification card. This way there is no need to use smart-card readers, and a new gateway is opened for the users to carry out e-commerce.

According to a preferred embodiment of the invention, the keyboard may comprise additional codes - some of them being embedded in the keyboard (such as the type of the removable part), and some of them being programmable (such as the user's ID).

The removable part may actually be a plurality of parts. For instance, the keypad of the 101-key keyboard may be produced in two parts, which operate independently: the keypad produced as a separate part for the other keys, which reside on the other, rigid part of the keyboard. This way instead of the keypad, the user may use another part, which is associated with another application, such as a computer game or Internet-associated application.

The above examples and description have of course been provided only for the purpose of illustration, and are not intended to limit the invention in any way. As will be appreciated by the skilled person, the invention can be carried out in a great variety of ways, employing more than one technique from those described above, all without exceeding the scope of the invention.

- 22 -

CLAIMS

1. A keyboard for use as an input device for a host computer, said computer being able to execute one or more software applications, comprising:

- a removable part comprising a set of specific of keys each of which having a contact and held by a foundation, said removable part being associated with a specific software application to be executed on said host computer using said set, optionally said removable part comprising a device for data-connection and a data storage device containing an Identification Data (ID) associated with said specific application;
- a fixed part, into which said removable part is installed, said fixed comprising:
 - I) a set of contacts, each of which corresponding to zero or more contacts of said removable part, for receiving input data;
 - II) a reader device for reading said ID from said data storage device;
 - III) a first data-connection means from said reader to said data connection device; and
 - IV) a second data connection means to said host computer, for transferring said ID from said reader, and data input from

- 23 -

said set, to said host computer, so as to allow said host computer to execute said specific software application upon placing said removable part into said fixed part.

2. A keyboard according to claim 1, wherein said reader, said first data connection means and said storage device are replaced by a mechanical member extending out of the removable part, for applying a mechanical force on a predetermined contact in said fixed part whenever said removable part is placed into said fixed part, said mechanical force causing ID data related to a specific set to be transmitted to said host computer via said second data connection means, after a predetermined period has been lapsed.
3. A keyboard according to claim 1, wherein said removable part is a single rigid unit or a plurality of rigid units that can be folded.
4. A keyboard according to claim 1, wherein said ID is embedded into said identification mechanism by electronic means and/or by electro-optic means and/or by electro-mechanical means and/or magnetic means.
5. A keyboard according to claim 1, wherein the keys layout is compatible with a standard 101-keys keyboard.

- 24 -

6. A system for use as an input mechanism for a host computer, comprising:

- A keyboard for use as an input device for a host computer, said computer being able to execute one or more software applications, comprising:

- a removable part comprising a set of specific of keys each of which having a contact and held by a foundation, said removable part being associated with a specific software application to be executed on said host computer using said set, said removable part comprising a device for data-connection and a data storage device containing an Identification Data (ID) associated with said specific application;
- a fixed part, into which said removable part is installed, said fixed comprising:
 - I) a set of contacts, each of which corresponding to zero or more contacts of said removable part, for receiving input data;
 - II) a reader device for reading said ID from said data storage device;
 - III) a first data-connection means from said reader to said data connection device; and

- 25 -

IV) a second data connection means to said host computer, for transferring said ID from said reader, and data input from said set, to said host computer, so as to allow said host computer to execute said specific software application upon placing said removable part into said fixed part.

- a software component for reading said ID and executing one or more program(s) and/or one or more application(s) and/or one or more predefined operation(s), said software component residing on said host computer and executed by said host computer, said program(s), said application(s) and said operation(s) being associated with said ID.

7. A system according to claim 6, wherein said predefined operations are directed to setup said host.
8. A method for connecting a keyboard to a host computer, comprising:
 - a) Providing a keyboard for use as an input device for a host computer, said computer being able to execute one or more software applications, comprising:
 - a removable part comprising a set of specific of keys each of which having a contact and held by a foundation, said removable part being associated with a specific software application to be

- 26 -

executed on said host computer using said set, said removable part comprising a device for data-connection and a data storage device containing an Identification Data (ID) associated with said specific application;

- a fixed part, into which said removable part is installed, said fixed comprising:

- I) a set of contacts, each of which corresponding to zero or more contacts of said removable part, for receiving input data;
- II) a reader device for reading said ID from said data storage device;
- III) a first data-connection means from said reader to said data connection device; and
- IV) a second data connection means to said host computer, for transferring said ID from said reader, and data input from said set, to said host computer, so as to allow said host computer to execute said specific software application upon placing said removable part into said fixed part.

b) Providing a software component for reading said ID and executing one or more program(s) and/or one or more application(s) and/or one or more predefined operation(s), said software component residing

- 27 -

on said host computer and executed by said host computer, said program(s), said application(s) and said operation(s) associated with said ID.

- c) Connecting between said removable part and said fixed part by contact upon placing said removable part on said fixed part;
- d) Reading said ID by said reader device;
- e) Conveying said ID from said keyboard to said host computer via said connection;
- f) Executing one or more program(s) and/or one or more application(s) and/or one or more predefined operation(s), said program(s), said application(s) and said operation(s) being associated with said ID.

9. A keyboard for use as an input device for a host computer, substantially as described and illustrated.

10. A system for use as an input mechanism for a host computer, substantially as described and illustrated.

11. A method for connecting a keyboard to a host computer, substantially as described and illustrated.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
15 February 2001 (15.02.2001)

PCT


(10) International Publication Number
WO 01/11788 A1(51) International Patent Classification⁷: **H03M 11/00**,
G09G 5/00, B41J 5/08(21) International Application Number: **PCT/IL00/00465**(22) International Filing Date: **3 August 2000 (03.08.2000)**(25) Filing Language: **English**(26) Publication Language: **English**(30) Priority Data:
60/147,949 **6 August 1999 (06.08.1999) US**(71) Applicant (for all designated States except US): **OMNI-BOARD, INC.** [US/US]; Corporation Trust Center, 1209 Orange Street, Wilmington, DE 19801 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **KRAMER, Oren** [IL/IL]; Beit Oren Street 5, 69710 Tel Aviv (IL).(74) Agents: **LUZZATTO, Kfir et al.**; Luzzatto & Luzzatto, P.O. Box 5352, 84152 Beer-Sheva (IL).(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).**Published:**

- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **MULTI-PURPOSE KEYBOARD**

(57) Abstract: A keyboard for use as an input device for a host computer comprising a removable part (20) that comprises a set of specific of keys each of which having a contact and held by a foundation. The removable part (20) is associated with a specific software application to be executed on the host computer using the set, and comprises a device for data-connection and a data storage device containing an Identification Data (ID) associated with the specific application. The keyboard also comprises a fixed part (10), into which the removable part (20) is installed.






Fig. 1



3/6




Fig. 3

4/6




Fig. 4

5/6




Fig. 5

6/6




Fig. 6

Please type a plus sign (+) inside this box



PTO/SB/01 (12-97)

Approved for use through 9/30/00.OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63) <input type="checkbox"/> Declaration Submitted with Initial Filing OR <input checked="" type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16(e)) required)	Attorney Docket Number	27986-713
	First Named Inventor	Kramer
	COMPLETE IF KNOWN	
	INTL. Application No.	PCT/IL00/00465
	Application Number	10/049,760
	T.A. Published Filed Filing Date	8/3/2000 2/5/2002
Group Art Unit	Not Yet Assigned	
Examiner Name	Not Yet Assigned	

As a below named Inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

MULTI-PURPOSE KEYBOARD

(Title of the Invention)

the specification of which

☐ is attached hereto

OR

☒ was filed on (MM/DD/YYYY)

2/5/2002

as United States Application Number or PCT International

Application Number 10/049,760 and was amended on (MM/DD/YYYY) ☐ (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
PCT/IL00/00465	IL	08/03/2000	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/028 attached hereto.


I hereby claim the benefit under 35 U.S.C. 119(h) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)

☐ Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/028 attached hereto.

(Page 1 of 2)

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.

Please Type a plus sign (+) inside this box 

PTO/SB/01 (12-97)


Approved for use through 9/30/00.OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.


DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of the application is not designated in the prior United States or PCT international application in the manner provided by the first paragraph of 31 U.S.C. 112. I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number		Parent Filing Date (MM/DD/YYYY)		Parent Patent Number (if applicable)	
<input type="checkbox"/> Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/028 attached hereto					
As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:					
<input checked="" type="checkbox"/> Customer Number <u>021971</u>		OR		<input type="checkbox"/> Registered practitioner(s) name/registration number listed below	
<div style="border: 1px solid black; padding: 2px; width: fit-content;">Place Customer Number Bar Code Label here</div>					
Name	Registration Number	Name	Registration Number		
<input type="checkbox"/> Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto					
Direct all correspondence to: <input checked="" type="checkbox"/> Customer Number or Bar Code Label <u>021971</u> OR <input checked="" type="checkbox"/> Correspondence address below					
Name	David J. Weitz				
Address	Wilson Sonsini Goodrich & Rosati				
Address	650 Page Mill Road				
City	Palo Alto	State	CA	ZIP	94304
Country	U.S.	Telephone	650-493-9300		Fax 650-493-6811
I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon					
Name of Sole or First Inventor:		<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle (if any))			Family Name or Surname		
Oren			Kramer		
Inventor's Signature					Date
Residence: City	Tel Aviv	State	IL	Country	IL
Post Office Address	OmniBOARD, 16 FBA Millel St. RAMAT GAN ISRAEL 52506				
Post Office Address	Beit Oren Street 5				
City	RAMAT GAN	State		ZIP	69710
	Tel Aviv			Country	IL
<input type="checkbox"/> Additional inventors are being named on the _____ supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto:					

United States Patent & Trademark Office

Office of Initial Patent Examination -- Scanning Division



Application deficiencies found during scanning:

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ **Scanned copy is best available.**

Some drawing figures are too dark.